Collecting and sharing permafrost data in the European Alps: the Alpine permafrost database

E. Cremonese¹, U. Morra di Cella¹, P. Pogliotti¹

¹Environmental Protection Agency of Aosta Valley, ARPA Valle d'Aosta, Italy e.cremonese@arpa.vda.it

Second International Conference on Cryosphere of the Hindu Kush Himalaya, Kathmandu Nepal, 13–16 May 2014 Background

2 Alpine Permafrost Database




Background



 The Alpine Permafrost Database (APD) is an initiative started in 2009 mainly by the University of Zurich (S. Gruber) and ARPA Valle d'Aosta in the framework of the Alpine Space project PermaNET



www.alpine-permafrostdata.eu







Background



 it's a standardized collection of permafrost evidence in the European Alps



www.alpine-permafrostdata.eu



What's a Permafrost Evidence?



A permafrost evidence is a direct or indirect proof of permafrost presence or absence in a specific location obtained by field measures and observations



APD contains the following types of data



borehole temperature (BH)








- borehole temperature (BH)
- ground surface temperature (GST)







- borehole temperature (BH)
- ground surface temperature (GST)
- rock fall scars (SC)





- borehole temperature (BH)
- ground surface temperature (GST)
- rock fall scars (SC)
- trenches or construction sites (TR)






- borehole temperature (BH)
- ground surface temperature (GST)
- rock fall scars (SC)
- trench or construction sites (TR)
- surface movement (SM)





- borehole temperature (BH)
- ground surface temperature (GST)
- rock fall scars (SC)
- trench or construction sites (TR)
- surface movement (SM)
- geophysical prospecting (GP)





- borehole temperature (BH)
- ground surface temperature (GST)
- rock fall scars (SC)
- trench or construction sites (TR)
- surface movement (SM)
- geophysical prospecting (GP)
- rock glaciers (RG)



RG inventories are supplied as a collection of polygons.

Individual RG are classified as intact (i.e. active or inactive landform with permafrost) or relict (i.e. without permafrost)



APD design is based on the following principles:

- the database has to be simple in structure
- the number of requested variables must be kept small in order to allow data provider to register their existing and upcoming data in a user-friendly and fast way
- (3) the APD includes both single observation (e.g. SC, TR, ...) and monitoring data (i.e. BH, GST, SM) yearly updated



APD design is based on the following principles:

- ① the database has to be simple in structure
- the number of requested variables must be kept small in order to allow data provider to register their existing and upcoming data in a user-friendly and fast way
- 3 the APD includes both single observation (e.g. SC, TR, ...) and monitoring data (i.e. BH, GST, SM) yearly updated



APD design is based on the following principles:

- ① the database has to be simple in structure
- the number of requested variables must be kept small in order to allow data provider to register their existing and upcoming data in a user-friendly and fast way
- ③ the APD includes both single observation (e.g. SC, TR, ...) and monitoring data (i.e. BH, GST, SM) yearly updated



Basic metadata:

- evidence type
- country
- evidence ID
- site name
- responsible
- lat/lon
- elevation/aspect/slope

- vegetation/surface type/terrain
- permafrost occurence
- permafrost certainty
- presence of ice
- source of information
- periodic update
- data policy



Boreholes monitoring data


BH depth

- min-mean-max annual ground temperature (MAGT) at each depth
- yearly max Active Layer
 Depth (ALT) and date

Choose the year to plot:

2013 ▼

Temperature Data



Year	ALT (m)	Date
2008	3.94	2008-09-25
2009	4.93	2009-10-20
2010	3.86	2010-10-08
2011	5.13	2011-10-23
2012	5.42	2012-10-04

2013-10-13

Active Layer Data



2013 4.6


Data provider

 Many researchers and national or regional monitoring programmes from Alpine countries (35 institutions) contributes to the APD with observations and monitoring data



current dataset

APD consists now of more than 400 point evidence and 7 regional rock glacier inventories (4795 rock glaciers)



Database administration

- data upload
 - data upload by registered data provider
 - easy to use compilation forms
 - data template for monitoring data
- ② data verification and publication + yearly updates



Database administration

- 🕕 data upload
 - data upload by registered data provider
 - easy to use compilation forms
 - data template for monitoring data
- data verification and publication + yearly updates



Data access and data policy

- APD data provider can choose between 2 data policy
 - free
 - inform when download occurs
- download is allowed only to registered users providing the intended use of the data and publication plans
- data provider willing to be included as authors in publications, need to contact data user and is assumed that an agreement on such matter will be reached



Data access and data policy

- APD data provider can choose between 2 data policy
 - free
 - ② inform when download occurs
- download is allowed only to registered users providing the intended use of the data and publication plans
- data provider willing to be included as authors in publications, need to contact data user and is assumed that an agreement on such matter will be reached



Data access and data policy

- APD data provider can choose between 2 data policy
 - free
 - ② inform when download occurs
- download is allowed only to registered users providing the intended use of the data and publication plans
- data provider willing to be included as authors in publications, need to contact data user and is assumed that an agreement on such matter will be reached



- keep people motivated and engage others
- 2 homogenise data and permafrost presence assessment criteria
- webtool for standardised data processing
- 4 data policy
- ⑤ promote data use/analysis (e.g. meta-analysis, model validations, rock glacier, ...)
- alpine permafrost state report



- keep people motivated and engage others
- 2 homogenise data and permafrost presence assessment criteria
- 3 webtool for standardised data processing
- 4 data policy
- promote data use/analysis (e.g. meta-analysis, model validations, rock glacier, ...)
- alpine permafrost state report



- keep people motivated and engage others
- ② homogenise data and permafrost presence assessment criteria
- 3 webtool for standardised data processing
- 4 data policy
- promote data use/analysis (e.g. meta-analysis, model validations, rock glacier, ...)
- alpine permafrost state report



- keep people motivated and engage others
- ② homogenise data and permafrost presence assessment criteria
- webtool for standardised data processing
- 4 data policy
- promote data use/analysis (e.g. meta-analysis, model validations, rock glacier, ...)
- alpine permafrost state report



- keep people motivated and engage others
- 2 homogenise data and permafrost presence assessment criteria
- webtool for standardised data processing
- 4 data policy
- ⑤ promote data use/analysis (e.g. meta-analysis, model validations, rock glacier, ...)
- 6 alpine permafrost state report



- keep people motivated and engage others
- ② homogenise data and permafrost presence assessment criteria
- webtool for standardised data processing
- 4 data policy
- ⑤ promote data use/analysis (e.g. meta-analysis, model validations, rock glacier, ...)
- 6 alpine permafrost state report



Thank you!



